

A MAT FOR EVERY PURPOSE



Matting

- ALL PURPOSE MATS
- ANTI-SLIP AND ANTI-FATIGUE MATS
- ENTRANCE MATS
- WORKPLACE MATS

Call now with your enquiries: ☎ 0800 007 ECO
KEEP THE BUILDINGS SAFE & CLEAN

Patrol All Purpose Mat




BEST ALL PURPOSE MAT

- Heavyweight anti-slip recycled rubber backing.
- Reinforced edge resists curling.
- Easy to clean, UV and fade resistant polyester carpet pile.
- Raised pattern removes debris and keeps floors clean.
- Made from 96% recycled material.

Sizes available

Standard size mats: 900x600mm, 900x1500mm or 1200x1800mm.



Guardian All Purpose Mat




NON ABSORBENT EXTERIOR MAT

- Traps and conceals dirt.
- PVC looped surface suitable for outdoor use.
- Easy to clean.
- Self draining, anti-slip surface.
- Reduces foot and leg fatigue and foot noise.
- Standard size mats have flat pressed edges.

Sizes available

Standard size mats 900x1500mm, 1200x1800mm. Custom lengths 900mm, 1200mm wide. Maximum length 15metres



Classic Plus All Purpose Mat



MOST WATER ABSORBENT MAT

- Water absorbent nylon pile.
- Non-slip 100% nitrile rubber backing.
- Static electricity dissipative nylon pile.
- Can be laundered for ease of cleaning.
- Long life reinforced rubber edges.
- Made from up to 9.8% recycled content

Sizes available

Standard size mats (normal sizes) 600x900mm (all colours), 900x1200mm (slate & deeper navy only), 900x1500mm (all colours), 900x2400mm (slate and deeper navy only), 900x3000mm (slate only), 1200x1800mm (slate and deeper navy only)



Worksave (Black)



NO.1 MAT FOR USE IN WET AREAS

- Free draining for wet areas or debris
- Safe with a non-slip pattern
- Anti-fatigue
- Safety ramped edging
- Light weight and easy to move for cleaning
- Black General Purpose Rubber

Sizes available

Standard size mats: 1520x890mm, 2950x890mm. Thickness: 13mm
 Standard size mats(junior): 1520x890mm
 Thickness: 10mm



Worksave (Terracotta)



NO.1 SELLER FOR KITCHENS


- Free draining for wet areas or debris
- Safe with a non-slip pattern
- Anti-fatigue
- Safety ramped edging
- Light weight and easy to move for cleaning
- Terracotta Grease Resistant Rubber.

Sizes available

Standard size mats: 1520x890mm, 2950x890mm. Thickness: 13mm
 Standard size mats(junior): 1520x890mm
 Thickness: 10mm



SuperScrapePLUS



ULTIMATE ANTI-SLIP MAT

- Launderable mat
- Positively anti-slip with safety cleats on both sides
- 100% nitrile rubber for grease and chemical resistance
- Safe, non-trip low profile
- Heavy duty rating
- Cleans footwear by removing and trapping dirt

Sizes available

Standard size mats: 900x1500mm
 Thickness: 4mm




Welcome Mats-Entrance



- Keep your entrance smart and clean
- Make your visitors feel welcome
- Other design options available

Sizes available: 1500x900 and 1800x1200
 Long life construction with beveled edges


Texas Exterior Mats



Unique design ensures excellent dirt removal, with a free-draining anti slip surface. Crafted from heavy duty general purpose rubber, with safety beveled edges, it will not curl or blow away. Available sizes: 450x750mm, 800x1000mm, 900x1500mm

Remove mud, dirt and grass

Trooper Entrance Mats




For use in High Traffic Indoor Entranceway & Walkways, and covered Outdoor areas.

- Attractive high-low rib pattern
- Tough, long lasting Polyester pile
- Anti-trip 20mm wide PVC Edges
- Heavy Duty PVC backing
- Effectively traps dirt and water


Sizes available

Standard size mats: 600 x 900mm, 900x1500mm, 1200 x 1800mm



AKOPLUS

New, Improved, Heavy duty, extremely slip resistant matting for use anywhere slip control is required



Black

- ▶ Highly slip resistant
- ▶ Easy to install
- ▶ UV Resistant
- ▶ Excellent sound absorption
- ▶ Temperature and water resistant
- ▶ Free draining holes, suitable for icy conditions

- AKOplus has a PVC granulate surface for extreme grip, bonded to a heavy duty open/closed cell foam.
- AKOplus can be custom cut to the size you require.
- AKOplus is self securing if the mat is over 3 sqm or may be fixed down with screws and washers.

Roll widths: 900mm, 1200mm and 1800mm wide

Roll length: 10m, Thickness: 6-7mm

- AKOplus is fully guaranteed for 2 years against failure due to manufacturing defects.
 - AKOplus is guaranteed to lie flat and be safe

**SAFETY&SPECIALIST
MATTING**



0800 007 ECO
CALL NOW WITH YOUR ENQUIRIES

**OUR SAFETY
SIGNS MEET NZ
VISIBILITY
STANDARDS**





0800 007 ECO

CALL NOW WITH YOUR ENQUIRIES


- EMERGENCY EXIT SIGNS
- ESCAPE ROUTE PRODUCTS
- GUIDANCE STRIPS
- STAIR NOSINGS
- TRUSTY STEP
- ECO FIRESHIELD

Escape Route Products to meet F6 Visibility in Escape Routes


F4-171 Step Nosing 68mm x 33mm
Available in standard lengths from 600mm to 1500mm in 100mm increments



Supplied pre-drilled with fixers. Adhesive and caulking gun available separately



E2-071 Step Edge Contrast 37mm
Available in standard lengths from 600mm to 1500mm in 100mm increments





E2-071 Standard for glue fixing
E2-071P Punched for screw fixing




Adhesive & caulking gun available separately

Escape Route Products to meet F6 Visibility in Escape Routes



F4-G111 Step Nosing 68mm x 33mm
Available in standard lengths from 600mm to 1500mm in 100mm increments




Supplied pre-drilled with fixers. Adhesive and caulking gun available separately



G8-011 Step Edge Composite 37mm
Available in standard lengths from 600mm to 1500mm in 100mm increments





G8-011 Standard for glue fixing
G8-001P Punched for screw fixing



Adhesive & caulking gun available separately

Escape Route Products to meet F6 Visibility in Escape Routes

MS-26 Handrail Wall Strip 26mm
Available in 1000mm lengths



Supplied pre-drilled with fixers. Adhesive and caulking gun available separately




E14-175 Step Edge Contrast 64mm
Available in 1000mm lengths 600mm to 1500 in 100mm increments



E14-175 Standard for glue fixing
E14-175P Punched for screw fixing

Adhesive and caulking gun available separately



Emergency Exit Signs To Meet NZS F8/AS1



Surface Mounted



No Exit

Ceiling Mounted



Wall Mounted



Chain Suspension



All signs meet NZS F8/AS1 Standards

- Various mounting arrangements available
- Signs remain visible for up to 8 hours
- Pictorial, directional and text options

Complete Fire Retardant



**New Product
ECO
FIRESHIELD**

- ECO FIRESHIELD is the most effective defence against the possibility of an outbreak or spread of fire
- Your use of this product may help save a life or loss of precious possessions

- ECO FIRESHIELD is non toxic, easily applied and colourless and odourless when dry, with UV stabiliser, anti-mould and mildew additives to protect fabrics

Anti-Slip Floor Treatment



**New Product
Trusty Step
1001**

Pack covers 350-400 sq ft

- Microscopically etches an invisible tread on the treated surface
- One treatment makes the floor slip-resistant for a minimum of 4 years
- Use on Ceramic, Porcelain, Quarry Tile, Granite, Terrazzo & Concrete
- Can be used indoors or outdoors
- Ideal for bath tubs & shower floors